Cape Cod Systems Corporation

Tel. 1-888-227-8555

ACCURATE

LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

INVISI-MOUNT POCKET DOOR HARDWARE SETS

2002Q QUIET POCKET DOOR LOCK + INVISI-MOUNT FLUSH PULLS

INVISI-MOUNT POCKET DOOR HARDWARE SETS

Pocket door trim is now available with Invisi-Mount innovative mounting system offering the simplest and cleanest screwless installation on the market. Utilizing rare-earth magnets for secure and precise installation, this is an upgrade to exposed or concealed fastener options.

INVISI-MOUNT POCKET DOOR PRIVACY SET

Invisi-Mount Pocket Door Hardware Sets

Invisi-Mount Flush Pulls are mounted to the door with 2 rare-earth magnets.



Invisi-Mount Pocket Door Hardware Sets
Cylinder Function

Invisi-Mount Flush Pulls with a cylinder have one magnet on the bottom as the cylinder itself will hold the top of the flush pull in place.



Pocket Door Flush Pull Options

IS2002

INVISI-MOUNT
SCREWLESS MOUNTING

CS2002

CONCEALED
FASTENERS

S2002

EXPOSED
FASTENERS

Invisi-Mount Pocket Door Hardware Sets
2002Q

2002Q

SILENTPAC™ by ACCURATE | QUIET POCKET DOOR LOCK

Invisi-Mount Flush Pulls are paired with the 2002Q SilentPac Quiet Pocket Door Pull that features a slow-release of the edge pull resulting in a quieter solution for space-saving pocket doors.

2002Q: Technical Details



BACKSET: 2”, 2 $^{1}/_{2}$”, 2 $^{3}/_{4}$”, 3 $^{3}/_{4}$”, 5”, 6” (other backsets available custom order)

CASE: Heavy gauge, wrought ($^{11}/_{16}$'' thick)

ARMOR FRONT: 1” wide, 8” standard made from brass, bronze or stainless steel and finished as required

DEADBOLT: $^{1}/_{2}$’’ thick, 1 $^{7}/_{32}$ ” high, 1” throw

PULL: $^{1}/_{2}$’’ thick, 2” high, 1 $^{1}/_{4}$” throw

STRIKE: 3 $^{1}/_{2}$” x 1” deadlock type strike for single doors included (specify SD). 8” tall strike available at an upcharge (Specify SD-8). For double door openings, refer to 2002CPDS.

THUMB TURN HUB: $^{3}/_{16}$’’ (5mm) on the diamond standard (specialty 6mm square hub available as special order)

DUST BOX: For single doors, available in brass, stainless steel or US10B

Invisi-Mount Pocket Door Hardware Functions
Single Doors



2002Q-1
SINGLE CYLINDER

By key outside only.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Cylinder Cutout x Blank.

2002C Cylinder Collar.

Specify handing.



2002Q-2
DOUBLE CYLINDER

By key outside and inside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Cylinder Cutout x Cylinder Cutout.

2002C Cylinder Collar (2).



2002Q-3
ENTRY

By key outside x T-turn inside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Cylinder Cutout x T-turn.

2002C Cylinder Collar.

Specify handing.



2002Q-3i
ENTRY WITH INDICATOR

By key outside x thumb turn inside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Cylinder Cutout with Indicator x T-turn.

2002C Cylinder Collar.

Specify handing.

Invisi-Mount Pocket Door Hardware Functions
Single Doors



2002Q-4
PRIVACY

By T-turn inside only.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Blank x T-turn.



2002Q-5
PRIVACY

By T-turn inside, ER outside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Emergency Coin Release x T-turn.

Specify handing.



2002Q-5i
PRIVACY WITH INDICATOR

By T-turn inside, ERi outside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Emergency Coin Release with Indicator x T-turn.

Specify handing.

NOTE: Function drawings are shown with thumb turns and emergency releases to clearly demonstrate each function. These elements will not protrude from the flush pull as shown but will sit flush inside.

Pocket Door Strikes | Single Doors

SD STRIKE + DUST BOX

Furnished Standard



SD-8 STRIKE

8” strike plate to oppose 2002Q.

Available special order.



INVISI-MOUNT PAIR OF DOOR HARDWARE SETS

Invisi-Mount Hardware Sets are available for locking double pocket doors. Pair with 2002Q with 2002CPDS-Q Quiet Pocket Door Strike with Integrated Edge Pull and Blank Invisi-Mount Flush Pulls.

INVISI-MOUNT POCKET DOOR PRIVACY SET PAIR OF DOORS

Invisi-Mount Pocket Door Hardware Sets
2002CPDS-Q

2002CPDS-Q **2002Q**

2002CPDS-Q POCKET DOOR STRIKE WITH INTEGRATED EDGE PULL

- For dummy doors on double door openings (pair with Blank Invisi-Mount Flush Pulls)
- Quiet slow release edge pull pops out of the lock with press of a button allowing for comfortable operation to pull door out of pocket.

2002CPDS-Q: Technical Details



3 $^{3}/_{8}$” overall depth standard
3 $^{7}/_{8}$” overall depth available (specify as 2002CPDS-SD-Q)

CASE: Heavy gauge, wrought ($^{11}/_{16}$'' thick)

ARMOR FRONT: 1” wide, 8” standard made from brass, bronze or stainless steel and finished as required

PULL: $^{1}/_{2}$’’ thick, 2” high, 1 $^{1}/_{4}$” throw

Invisi-Mount Pocket Door Hardware Functions
Pair of Doors



2002Q-3
PRIVACY

By key outside, T-turn inside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Cylinder Cutout x T-turn.

2002C Cylinder Collar.

2002CPDS-Q Quiet Pocket Door Strike with Integrated Edge Pull and Pair of Blank Flush Pulls.

Specify handing.



2002Q-5
PRIVACY

By T-turn inside, ER outside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Emergency Coin Release x T-turn.

2002CPDS-Q Quiet Pocket Door Strike with Integrated Edge Pull and Pair of Blank Flush Pulls.

Specify handing.



2002Q-5i
PRIVACY WITH INDICATOR

By T-turn inside, ERi outside.

Includes:

2002Q Quiet Pocket Door Lock with Integrated Edge Pull.

Flush Pull Trim: Emergency Coin Release with Indicator x T-turn.

Quiet Pocket Door Strike with Integrated Edge Pull and Pair of Blank Flush Pulls.

Specify handing.

NOTE: Function drawings are shown with thumb turns and emergency releases to clearly demonstrate each function. These elements will not protrude from the flush pull as shown but will sit flush inside.

INVISI-MOUNT PASSAGE HARDWARE SETS

Invisi-Mount Hardware Sets are available for passage non-locking doors. Pair with 2002CPDP-Q Quiet Pocket Door Pull and Blank Invisi-Mount Flush Pulls.

Invisi-Mount Pocket Door Hardware Sets
2002CPDP-Q

2002CPDP-Q

2002CPDP-Q POCKET DOOR EDGE PULL

- For passage, non-locking pocket doors (pair with Blank Invisi-Mount Flush Pulls)
- Quiet slow release edge pull pops out of the lock with press of a button allowing for comfortable operation to pull door out of pocket.

2002CPDP-Q: Technical Details





3 $^{3}/_{8}$” overall depth standard
2 $^{7}/_{8}$” overall depth available (specify as 2002CPDP-SD-Q)

CASE: Heavy gauge, wrought ($^{11}/_{16}$'' thick)

ARMOR FRONT: 1” wide, 8” standard made from brass, bronze or stainless steel and finished as required

PULL: $^{1}/_{2}$’’ thick, 2” high, 1 $^{1}/_{4}$” throw

Pocket Door Jamb Protector Plate

2002JPP

To oppose 2002CPDP



IS Style| Invisi-Mount (Screwless Mounting)

IS2002B

IS2002E

IS2002T

IS2002C

IS2002-Oi

IS2002-COi

A Style | Invisi-Mount (Screwless Mounting)

IA2002B

IA2002E

IA2002T

IA2002C

IA2002-Oi

IA2002-COi

N Style | Invisi-Mount (Screwless Mounting)

IN2002B



IN2002E

IN2002T



IN2002C



IN2002-Oi



IN2002-COi



O Style | Invisi-Mount (Screwless Mounting)

IO2002B

IO2002E

IO2002T

IO2002C

IO2002-Oi

IO2002-COi

Invisi-Mount Pocket Door Flush Pull Dimensions



Dimensions apply to all Invisi-Mount Flush Pull Styles:

IS2002

IA2002

IN2002

IO2002

'A' = $^{7}/_{16}$" for doors 1 $^{3}/_{4}$" minimum

$^{5}/_{16}$" for doors 1 $^{3}/_{8}$" minimum

2002C | Cylinder Collar





2002C.138



2002C.134

2002C Cylinder Collar is furnished standard with:

IS2002C, IS2002-COi

IA2002C, IA2002-COi

IN2002C, IN2002-COi

IO2002C, IO2002-COi

HOW TO SPECIFY

HANDING

Specify Handing on the following functions:

2002Q-1

2002Q-3

2002Q-3i

2002Q-5

2002Q-5i



FINISHES

GROUP 1: US4, US4NL, US32D*, US26D

GROUP 2: US3, US3NL, US26, US32*, US9*, US10*, US10B, US14, US15, US19

GROUP 3: BN, BB, TN, TB, DURO, ESN, US15A, US5

Applicable finishes come standard with Cerakote Premium Protective Coating. Available in gloss or matte.

** Trim options may not be available in US32D, US32, US9, or US10 finish. Please call for assistance.*



CYLINDERS & KEYING

2002Q Series locks accept any standard American mortise cylinder. For details on required cams and compatibility with other manufacturers' cylinders,

Cape Cod Systems Corporation
Tel. 1-888-227-8555

HOW TO SPECIFY

TRIM.FUNCTION.BACKSET.FINISH.HAND.DOORTHICKNESS.DOORTYPE.OPTIONS

TRIM
Invisi-Mount Flush Pulls
IS, IA, IN, IO (pg. 19-22)

FUNCTIONS
See (pg. 8-9, 14)

-

BACKSET
2, $2\,1/2$", $2\,3/4$"
$3\,3/4$", 5" 6"

FINISHES
See (pg.24)

HAND
See (pg.25)

DOOR THICKNESS
For 1-3/4" thick doors (unless specified)

DOOR TYPE
SD (single door)
PD (pair of doors)

STRIKE
SD (single door)
SD-8
PD (pair of doors
2002CPDS-Q)
2002JPP

OPTIONS
Finished bolts/buttons/bales/ backplates where applicable for an upcharge

EXAMPLES

Invisi-Mount Quiet Pocket Door Set | Double Cylinder | Single Door
E.g.: IS.2002Q-2.212.US26D.134.SD

Invisi-Mount Quiet Pocket Door Set | Passage | Single Door | Jamb Protector Plate
E.g.: IO.2002CPDP-Q.234.US3.134.SD.2002JPP

Invisi-Mount Quiet Pocket Door Set | Privacy | Pair of Doors | All Bolts Finished
E.g.: IS.2002Q-5.2.US19.RH.134.PD.US19BOLTS

Invisi-Mount Quiet Pocket Door Set | Entry | Pair of Doors
E.g.: IA.2002Q-3.5.US14.LH.134.PD

NOTES

- Furnished standard with 2002Q SilentPac Quiet Pocket Door Lock (2002CPDL Pocket Door Lock with Integrated Edge Pull available, specify 2002CPDL-X).
- Custom narrow and large backsets are available. $1\,3/4$" backset available for non-cylinder functions.
- SD Strike and Dust Box are included in the lock cost. (SD-8, 2002JPP and 2002CPDS-Q require an upcharge).
- Specify handing for relevant functions (see pg. 25)